



# Gloves against heat risks **GoodPRO** - line **K** 500 °C

**GoodPRO**<sup>®</sup>  
good protection



311



313



315



319



310



312



314




321

Order No.	Type	Size	Length	EN 407	EN 388	Description
311	1-K900AL	10	35 cm	4244X4	154X	
313	3-K900AL	10	35 cm	4244X4	154X	
315	5-K900AL	10	35 cm	4244X4	154X	
310	1-KK	10	35 cm	42XXXX	154X	
312	3-KK	10	35 cm	42XXXX	154X	
314	5-KK	10	35 cm	42XXXX	154X	
319	103-K	10	26 cm	42XXXX	154X	double sided use
321	30-K	10	35 cm	42XXXX	154X	



EN 407



EN 388

### Material:

Palm: aramid, weight 320 g/m<sup>2</sup>  
 Back: aluminized aramid, weight 370 g/m<sup>2</sup>  
 Insulation: wool

### Use:

Protective gloves **GoodPRO line K** are designed for foundries, engineering, metallurgical and glass industry.

3-layer protective gloves against heat and mechanical risks. Recommended for handling hot objects (up to 500 °C) over brief periods. Protection against contact heat and flame. Abrasion, cut and tear resistant. Gloves with back made of aluminized layer provide extra protection against radiant heat and molten metal splash.

